



Over the past year, the eastern Horn of Africa has experienced two consecutive poor rainy seasons, resulting in one of the driest years since 1950/51 in many pastoral zones. The impacts of the drought have been exacerbated by high local cereal prices, excess livestock mortality, conflict and restricted humanitarian access in some areas.^a

Typical Season^a

Rains in pastoral areas of **Somalia, Kenya, southern Ethiopia** and cropping areas of **south-eastern Kenya** bring pasture regeneration, increase water availability, and support crop development.

Typical lean season in pastoral areas. Main harvest in **south-eastern Kenya**. Minor harvest in **Somalia**.

Main rains in southern pastoral and belg-producing **Ethiopia, Somalia**, and pastoral areas of **Kenya**; secondary rains in south-eastern cropping areas of **Kenya**.

Main harvest in Somalia (mid-Jun to mid-Aug). Minor harvests in **south-eastern Kenya**.

Sep 2010



Short rainy season

Dec



Jan 2011



Long dry season

Mar



Main rainy season

Apr



Short dry season

Jul



Drought 2010-2011^a


One of the driest Oct-Dec seasons ever. Second or third consecutive poor season in some pastoral and cropping areas. Very poor livestock production.

Livestock body conditions worsen. Crops fail in all marginal cropping areas of the eastern Horn. Lean season shortages exacerbated.

Late start of rains and erratic distribution over season. Rainfall less than 30% of the 1995-2010 average in some areas. Excess livestock mortality of 15-30% reported in pastoral areas, with mortality levels as high as 40-60% in localized areas, especially for cattle and sheep.

Harvests expected to be delayed and below normal. Crop failure in marginal cropping areas likely. Staple cereal prices approach/exceed record levels.

% below normal precipitation^b (Jun 2010 - May 2011)



Dramatic increases in cereal prices

Grain Market ^b	Grain	% price change (May '10- May '11)
Baidoa, Somalia	Red Sorghum	+ 240%
Jiiga, Ethiopia	Yellow Maize	+ 117%
Mandera, Kenya	White Maize	+ 58%



50 30 10

600,000

Kampala

Kigali

Bujumbura

200 km

ERITREA

Asmara

ETHIOPIA

Addis-Ababa

SUDAN

UGANDA

Kampala

DR CONGO

RWANDA

Kigali

Bujumbura

BURUNDI

UNITED REPUBLIC OF TANZANIA

Area with limited humanitarian access^a

Estimated number of food insecure population as of Jun 2011^c

120,000
DJIBOUTI
Djibouti

3.5 million
KENYA

Nairobi

Mogadishu

SOMALIA

2.5 million

Global Acute Malnutrition (GAM) (%)^a

- 33.0 Somali refugee camps in Dolo Ado, Ethiopia (Jun 2011)^a
- 30.7 Juba (pastoral), Somalia (Dec 2010)^a
- 27.5 Mandera, Kenya (Apr 2011)^a
- 25.3 Gedo (agro-pastoral), Somalia (Dec 2010)^a
- 25.0 Bale, Ethiopia (May 2011)^f
- 22.8 Wajir, Kenya (Apr 2011)^a
- 15.6 Garbatulla, Kenya (Feb 2011)^a

- 15.2 Mogadishu, Somalia (Apr 2011)^a
- 10.5 Borena, Ethiopia (Mar 2011)

Integrated Food Security Phase Classification (IPC)

(Jul - Sep 2011 projection)^a

- 1: None or Minimal
- 2: Stressed
- 3: Crisis
- 4: Emergency
- 5: Catastrophe/Famine

Note: No areas are yet in catastrophe/famine phase

Country affected by drought without IPC data available^c

10 million
people in need of humanitarian assistance^c

CRITICAL^b

SERIOUS

POOR

ACCEPTABLE

The boundaries and names shown and the designations used on all maps do not imply official endorsement or acceptance by the United Nations.

Creation date: 28 Jun 2011

Data sources: UNCS, GAUL, FEWS NET, NOAA, OCHA, FSNWG, SCF-UK, Concern, FSNAU, WHO

In collaboration with:



Feedback: ochaavmu@un.org
www.unocha.org
www.reliefweb.int