




Refugee population

Total refugee population:

149,956

Demographic breakdown:



Key facts

Camp opened:
July 2012

Indicators at a glance

1 Health utilisation rate	6.2	✘
2 Number of consultations per clinician per day	58	✘
3 Hospitalisation rate	2.9	⚑
4 Referral rate		?
5 % deliveries attended by skilled personnel	100%	✓
6 Crude Mortality Rate (CMR) (/1000/month)	0.1	✓
7 Under-five Mortality Rate (U5MR) (/1000/month)	0.3	✓
8 Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	✓

Notes


This public health profile for Za'atri refugee camp is compiled from health facility data from the following partners:

- French Field Hospital
- Gynécologie Sans Frontières
- JHAS Clinic
- MDM clinic
- Moroccan Field Hospital
- RMS Field Hospital
- Saudi clinic

Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible. However, at this early stage of implementation, indicators should be interpreted with care whilst the quality of data continues to be improved.

Morbidity


Acute health conditions (%)



Top 5 acute health conditions

Condition	% morbidity	# of cases
1 Other	16%	1,979
2 Influenza-like illness (ILI)	12%	1,446
3 Lower Respiratory Tract Infection (LRTI)	9%	1,140
4 Watery diarrhoea*	9%	1,117
5 Dental Conditions	6%	728
- Other	48%	5,955

Chronic health conditions (%)




Top 5 chronic health conditions


Condition	% morbidity	# of cases
1 Diabetes	21%	919
2 Asthma	18%	793
3 Hypertension	17%	753
4 Ischaemic heart disease	7%	320
5 Cardiovascular disorders	5%	199
- Other	31%	1,346

Breakdown of acute health conditions

by age




by gender




Breakdown of chronic health conditions

by age



by gender



UNHCR gratefully acknowledges the support of the following partners:



Public Health

Health Impact

	Indicator	Standard	
Crude Mortality Rate (CMR) (/1000/month)	0.1	< 1.5	✓
Under-five Mortality Rate (U5MR) (/1000/month)	0.3	< 3.0	✓
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40	✓

Access and utilization

No. of health facilities	6	1 : 24993	1 : < 10,000	✗
Total number of consultations	17,811			
Health utilisation rate	6.2	1 - 4		✗
No. of consultations per trained clinician per day	58	< 50		✗

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours		100%

Laboratory


Number of laboratory samples	478
------------------------------	-----

Immunization


Measles vaccination rate	> 95%	?
Full vaccination rate	> 95%	?
Program drop-out rate	< 10%	?
Vaccine wastage rate	< 8%	?

Breakdown of mental health conditions


By cause



By age




By gender




Breakdown of injuries


By cause



By age



By gender



In-patient and referral

In-patient department

	Indicator	Standard	
Hospitalisation rate (/1000/month)	2.9	50 - 150	✗
Bed occupancy rate	7%	> 75%	✗
Mean length of stay for authorised discharges (days)	0.3		✗

	Indicator	Standard
Overall case fatality rate	0%	
Proportion of deaths within 24 hours of admission	0%	

Referral

Total referral rate	?
---------------------	---

Reproductive Health

Antenatal care

	Indicator	Standard	
Coverage of antenatal care (4 or more visits)	38%	≥ 90%	✗
Coverage of TT vaccination	30%	≥ 90%	✗
Coverage of anaemia screening in pregnancy	29%	≥ 90%	✗

Delivery care

Proportion of deliveries attended by skilled personnel	100%	≥ 90%	✓
Proportion of deliveries performed by caesarean section	14%	5 - 15%	✓
Proportion of low birth weight deliveries (<2500g)	0%	< 15%	✓

Maternal mortality

Number of maternal deaths reported	0		
% of maternal deaths investigated within 48 hours		100%	

Postnatal care

Coverage of postnatal care	0%	≥ 90%	✗
----------------------------	----	-------	---

Family Planning

Contraceptive prevalence rate	0%		✗
-------------------------------	----	--	---

Sexual and Gender-based Violence

Incidence of rape (reported cases/10,000/year)*	0		✗
% of rape survivors who received PEP** < 72 hours		100%	✗
% of rape survivors who received ECP*** < 120 hours		100%	✗
% of rape survivors who received STI**** prophylaxis < 2 wks		100%	✗

*Only includes rapes reported at health facilities **Post-exposure prophylaxis ***Emergency contraceptive pill ****Sexually transmitted infection

Legend

- ✓ Standard met
- ⚠ Standard borderline
- ✗ Standard not met
- 🏳️ Interpret data with care
- ❓ Data missing

