



Table of Contents

- A. Key indicators
- B. Indicator-based surveillance
- C. System performance

A. Key indicators

Surveillance | Performance Indicators

25

Number of LGAs*

23

Number of LGAs that reported

274

Number of health facilities

193

Number of health facilities that reported

70%

Completeness at the health facility level.

70%

Timeliness at the health facility level.



Alert | W39

49

Total alerts raised**

100%

% alerts verified

0

alerts requiring response



Alert | Risk Assessment

W39

Cumulative

0

20

Low risk

0

18

Moderate risk

0

22

High risk

0


1

Very high risk

* The reporting of **health facility level IDSR data** is currently being rolled out across Borno State. Whilst this is taking place, some LGAs are continuing to report only at the level of local government area (LGA). Therefore, completeness and timeliness of reporting is displayed at both levels in this bulletin.

** **Alerts** are based on 7 weekly reportable diseases in the national IDSR reporting format (IDSR 002) and 8 additional diseases/health events of public health importance in the IDP camps and IDP hosting areas.

Figure 1 | Trend in consultations



B. Indicator-based surveillance

Summary

Figure 1a | Proportional morbidity (W39)





Figure 1b | Proportional mortality (W39)



Statistical tables [Show](#)

Table 1a | Weekly and cumulative number of reported cases

Syndrome	W39		Cumulative 2021	
	# cases	% morb. ¹	# cases	% morb. ¹
Malaria (confirmed)	8,422	18.2%	277,986	14.1%
Malaria (suspected)	11,807	25.4%	432,210	21.9%
Acute Respiratory Infection	6,598	14.2%	335,206	17.0%
Acute Watery Diarrhoea	1,021	2.2%	335,206	2.3%
Bloody diarrhoea	136	0.3%	7,511	0.4%
Severe Acute Malnutrition	1,957	4.2%	87,280	4.4%
Mental Health	118	0.3%	2,982	0.2%
Other	16,287	35.1%	771,617	39.1%
Total cases	46,346	100%	1,959,699	100%

¹ Proportional morbidity

Table 1b | Weekly and cumulative number of reported deaths

Syndrome	W39		Cumulative 2021	
	# deaths	% mort. ²	# deaths	% mort. ²
Malaria (confirmed)	5	25.0%	130	7.9%
Malaria (suspected)	0	0.0%	79	4.8%
Acute Respiratory Infection	0	0.0%	16	1.0%
Acute Watery Diarrhoea	0	0.0%	5	0.3%
Bloody diarrhoea	0	0.0%	3	0.2%
Severe Acute Malnutrition	2	10.0%	89	5.4%
Maternal death	0	0.0%	33	2.0%
Neonatal death	1	5.0%	86	5.2%
Other	12	60.0%	1,211	73.3%
Total deaths	20	100%	1,652	100%


² Proportional mortality

Table 1c | Immediately notifiable diseases (IDSR 002)

Disease	W39		Cumulative 2021	
	# cases	# deaths	# cases	# deaths
AFP ¹ /Polio	0	0	107	0
Measles (suspected)	58	0	13,878	123
Meningitis (suspected)	0	0	26	0
Cholera (suspected)	21	2	234	14
Viral Haemorrhagic Fever (suspected)	2	0	4	2
Yellow Fever (suspected)	0	0	88	0
Guinea worm (suspected)	0	0	0	0
Human Influenza (suspected) ²	0	0	0	0

¹ Acute Flaccid Paralysis ² caused by a new subtype

Figure 2a | Age breakdown



Total case fatality due to malaria in W39 was 0.0% .

Figure 2b | Trend in number of cases over time (Borno State)




Figure 2c | Number of cases by LGA





Figure 3a | Age breakdown



Total case fatality due to measles in W39 was 0.0% .

Figure 3b | Trend in number of cases over time (Borno State)




Figure 3c | Number of cases by LGA





Figure 4a | Age breakdown



Total case fatality due to acute respiratory infection in W39 was 0.0% .

Figure 4b | Trend in number of cases over time (Borno State)




Figure 4c | Number of cases by LGA





Figure 5a | Age breakdown



Total case fatality due to Acute Watery Diarrhoea in W39 was 0.0% .

Figure 5b | Trend in number of cases over time (Borno State)




Figure 5c | Number of cases by LGA





Figure 6a | Age breakdown



Total case fatality due to bloody diarrhoea in W39 was 0.0% .

Figure 6b | Trend in number of cases over time (Borno State)






Figure 6c | Number of cases by LGA



Severe Acute Malnutrition [Show](#)

Figure 7a | Age breakdown



Total case fatality due to SAM in W39 was 0.1% .

Figure 7b | Trend in number of cases over time (Borno State)





Figure 7c | Number of cases by LGA



C. System performance

Statistical tables [Show](#)

Table 9a | Surveillance performance indicators by LGA (W39)

Location	Reporting		Performance	
	# sites	# reports received	Comp. ³	Time. ⁴
Askira Uba	29	23	79%	79%
Bama	4	4	100%	100%
Bayo	11	9	82%	82%
Biu	22	16	73%	73%
Chibok	11	9	82%	82%
Dambo	14	10	71%	71%
Dikwa	6	3	50%	50%
Gubio	5	3	60%	60%
Gwoza	7	5	71%	71%
Hawul	14	11	79%	79%
Jere	25	17	68%	68%
Kaga	5	5	100%	100%
Kala/Balge	3	1	33%	33%
Konduga	16	9	56%	56%
Kwaya Kusar	11	8	73%	73%
Mafa	5	3	60%	60%
Magumeri	9	5	56%	56%
Maiduguri	21	12	57%	57%
Mobbar	2	0	0%	0%
Monguno	18	17	94%	94%
Ngala	6	4	67%	67%
Nganzai	4	2	50%	50%
Shani	26	17	65%	65%
Total	274	193	70%	70%

Table 9b | Alert performance indicators by LGA

Syndrome	W39		Cumulative 2021	
	# alerts	% verif.	# alerts	% verif.
Askira Uba	2	100%	112	96%
Bama	1	100%	66	91%
Bayo	3	100%	71	99%
Biu	1	100%	70	91%
Chibok	0	0%	83	99%
Dambo	3	100%	148	99%
Dikwa	0	0%	14	93%
Gubio	0	0%	65	95%
Gwoza	1	100%	69	88%
Hawul	1	100%	67	99%
Jere	11	100%	456	96%
Kaga	2	100%	51	100%
Kala/Balge	0	0%	9	67%
Konduga	3	100%	243	95%
Kwaya Kusar	0	0%	36	97%
Mafa	0	0%	39	100%
Magumeri	1	100%	216	99%
Maiduguri	9	100%	499	97%
Mobbar	0	0%	25	88%
Monguno	7	100%	213	100%
Ngala	1	100%	25	88%
Nganzai	1	100%	32	100%
Shani	2	100%	51	100%
Total	49	100%	2,660	97%

³ Completeness of reporting (at health facility level)

⁴ Timeliness of reporting (at health facility level)

Contact Information

Samuel B Thliza

State Epidemiologist
Ministry of Health
Maiduguri, Nigeria
Email: thliza25@gmail.com
Telephone: 0708 093 0851

Dr. Musa Kim Muhammed

Health Information Management Unit
WHO Health Emergencies Programme Office
Maiduguri, Nigeria
Email: mmohammed@who.int
Telephone: 0803 732 5276